Serial Number: 10/047,528 Group Art Unit: 2871

## AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions, and listings, of claims in the application:

## **LISTING OF CLAIMS:**

- 1. (Canceled)
- 2. (Currently amended): The liquid crystal display wide viewing angle polarizing film according to claim 1 The method according to claim 7, wherein said optical compensation film comprises a support film and an optically anisotropic layer formed of a material having a liquid-crystalline property.
- 3. (Currently amended): The liquid crystal display wide viewing angle polarizing film according to claim 1 The method according to claim 7, wherein said polarizing layer is prepared by a lyotropic solution containing a dichroic dye.
- 4. (Currently amended): The liquid crystal display wide viewing angle polarizing film according to claim 1 The method according to claim 7, wherein said polarizing layer is prepared by a liquid-crystal polymer solution containing a dichroic dye.
- 5. (Currently amended): The liquid crystal display wide viewing angle polarizing film according to claim 1 The method according to claim 7, wherein a thickness of said polarizing layer is in a range of from 0.1 to 15  $\mu$ m.
- 6. (Currently amended): The liquid crystal display wide viewing angle polarizing film according to claim 1 The method according to claim 7, wherein comprising a protective layer on a surface of said polarizing layer.

Serial Number: 10/047,528 Group Art Unit: 2871

7. (Currently amended): A production method for the <u>a</u> liquid crystal display wide viewing angle polarizing film according to claim 1 comprising a polarizing layer laminated on an optical compensation film and a retardation film and/or a brightness enhancement film laminated on said polarizing layer, said method comprising step of; steps of:

directly laminating a polarizing a polarizing layer layer through coating-application of a polarizing-layer forming material onto an optical compensation film without using an adhesive, and

\_\_\_\_laminating a retardation film and/or a brightness enhancement film onto said polarizing layer.

- 8. (Currently amended): A <u>production method for a liquid crystal display wide viewing</u> angle polarizing adhesion film comprising the liquid crystal display wide viewing angle polarizing film according to claim 1 and applying an adhesion layer for a glass-substrate surface of a liquid crystal panel to a liquid crystal display wide viewing angle polarizing film produced by the method according to claim 7.
- 9. (Currently amended): A <u>production method for a liquid crystal display comprising the adhering a liquid crystal display wide viewing angle polarizing adhesion film produced by the method according to claim 8 adhered onto at least one side of a liquid crystal panel.</u>

10-18. (Canceled)

19. (Currently amended): The liquid crystal display wide viewing angle polarizing film according to claim 1 The method according to claim 7, wherein a thickness of the polarizing layer is from 0.2 to 3 microns.

Serial Number: 10/047,528 Group Art Unit: 2871

20-21. (Canceled)

22. (Currently amended): The liquid crystal display wide viewing angle polarizing film according to claim 1 The method according to claim 19, wherein a retardation film is laminated on said polarizing layer.

- 23. (Currently amended): The liquid crystal display wide viewing angle polarizing film according to claim 1 The method according to claim 19, wherein a brightness enhancement film is laminated on said polarizing layer.
- 24. (Currently amended): The liquid crystal display wide viewing angle polarizing film according to claim 1 The method according to claim 19, wherein a retardation film is laminated on said polarizing layer.
- 25. (Currently amended): The liquid crystal display wide viewing angle polarizing film according to claim 1 The method according to claim 19, wherein a brightness enhancement film is laminated on said polarizing layer.